

## GENERALIZED ANXIETY SYMPTOMS ASSESSMENT QUESTIONNAIRE – RCADS-GAD

Version for children and adolescents aged 8 to 17 years old

-						
Patient's last name F			File	File number		
Patient's f	ïrst name			ı		
Health ins	urance num	nber	Е	xp.	Year	Month
Date of birth	Year	Month	D	ay	Sex M	ПЕ
Address (	no., street)				□x	_
City					Postal Co	ode
School						
Grade *						

## How often do each of these things happen to you?

- 1. Answer each item based on the last month or the period of time since your last appointment.
- 2. Use the scale at the top of the table.
- 3. Answer each item by checking the box that represents your situation the best.

	Never	Sometimes	Often	Always
Items	0	1	2	3
1. I worry about things.	□ 0	<u> </u>	<u> </u>	□ 3
2. I worry that something awful will happen to someone in my family.	<u> </u>	<u> </u>	_ 2	□ 3
3. I worry that bad things will happen to me.	□ 0	<u> </u>	_ 2	□ 3
<b>4.</b> I worry that something bad will happen to me.	<u> </u>	<u> </u>	_ 2	□ 3
5. I worry about what is going to happen.	□ 0	<u> </u>	_ 2	□ 3
6. I think about death.	<u> </u>	1	_ 2	□ 3

Revised Children's Anxiety and Depression Scale – Generalized Anxiety Disorder Subscale - RCADS-GAD © 2003 Bruce F. Chorpita

		Date :		
Signature	Year	Month	Day	

<sup>\* 3</sup>rd grade of elementary school to 1st year of Cegep or college

Patient's last name	Patient's first name	File number

Section reserved for the practitioner	
Total raw score	
Total number of items	6
Number of answered items (≥ 4)*	
Adjusted score	
Score T **	
Is the T score greater than the clinical cut-off value of 65?	☐ Yes ☐ No
Practitioner's analysis and commentary:	

Questionnaire revie	wed by:			Date	:	
Practitioner's last name	Practitioner's first name	Licence number	Signature	Year	Month	Day

<sup>\*</sup> If 3 or more answers are missing, the score of the subscale cannot be used.

<sup>\*\*</sup> For children and adolescents aged 8 to 17 years old, use the conversion table to identify the T score of the subscale according to the patient's sex, school grade and adjusted raw score. Only the raw score can be used for patients aged 18 years and over.