

OBSESSIVE-COMPULSIVE SYMPTOMS ASSESSMENT QUESTIONNAIRE – RCADS-P-OCD

Version for parents or caregivers of children and adolescents aged 3 to 17 years old

-							
Patient's last name				File number			
Patient's firs	t name						
Health insura	ance num	nber	E	xp.	Year	Month	
Date of birth	Year	Month	Da	ау	Sex M	F	
Address (no.	., street)						
City					Postal Co	ode	
Caregiver	Last r	name	F		irst name		
School Grade *				•			

How often do each of these things happen to your child?

- 1. Answer each item based on the last month or the period of time since your child's last appointment.
- 2. Use the scale at the top of the table.
- 3. Answer each item by checking the box that represents your child's situation the best.

	Never	Sometimes	Often	Always
Items	0	1	2	3
 My child is bothered by bad or silly thoughts or pictures in his/her mind. 	<u> </u>	<u> </u>	_ 2	□ 3
2. My child has to keep checking that he (she) has done things right (like the switch is off, or the door is locked).	□ 0	<u> </u>	□ 2	□ 3
3. My child can't seem to get bad or silly thoughts out of his (her) head.	<u> </u>	<u> </u>	<u> </u>	□ 3
4. My child has to think of special thoughts (like numbers or words) to stop bad things from happening.	□ 0	<u> </u>	□ 2	□ 3
5. My child has to do some things over and over again (like washing hands, cleaning, or putting things in a certain order).	□ 0	<u> </u>	<u> </u>	□ 3
My child has to do some things in just the right way to stop bad things from happening.	□ 0	<u> </u>	<u> </u>	□ 3

Revised Children's Anxiety and Depression Scale – Parent version – Obsessive-Compulsive Disorder Subscale RCADS-P-OCD © 2003 Bruce F. Chorpita

Questionnaire completed by:		Date :	
Signature	Year	Month	Day

^{* 3}rd grade of elementary school to 1st year of Cegep or college

Patient's last name	Patient's first name	File number

Section reserved for the practitioner	
Total raw score	
Total number of items	6
Number of answered items (≥ 4)*	
Adjusted score =	
Score T **	
Is the T score greater than the clinical cut-off value of 65?	☐ Yes ☐ No
Practitioner's analysis and commentary:	

Questionnaire reviewed by:			Date:	Date:		
Practitioner's last name	Practitioner's first name	Licence number	Signature	Year	Month	Day

^{*} If 3 or more answers are missing, the score of the subscale cannot be used.

^{**} For parents of children and adolescents aged 8 to 17 years old, use the conversion table to identify the T score of the subscale according to the patient's sex and school grade, in addition to the parent's raw score. Only the raw score can be used for children aged between 3 to 7 years old and patients aged 18 years and over.